

80 PLUS V	erification and Test	ing Report	OHERTY
TYPICAL EFFICI AVERAGE EFFIC 80 PLUS COMPL		85.77% 83.73% YES	
Ecos ID #	667.1		Input Current and Voltage Wave
Manufacturer	CHIEFTEC		200
Model Number	BPS-1200C		150
Serial Number	NA		
Year	2008		$\sum_{i=1}^{100}$
Туре	ATX12V		9 50
Test Date	5/19/2008		


Rated Specifications	Value	Units
Input Voltage	100-240	Volts
Input Current	15	Amps
Input Frequency	47-63	Hz
Rated Output Power	1200	Watts



Note: All measurements were taken with input voltage at 115 V nominal and 60 Hz.

IRMS	PF	I _{THD} (%)	Load	Fraction	Input	DC Terminal Voltage (V)/ DC Load Current (A)			Output	Efficiency		
Α			(%)	of Load	Watts	12V (cumulative of 12V1, 12V2, etc.)	-12V	3.3V	5V*	5VSB	Watts	%
2.56	0.99	9.15%	20%	Light	290.70	12/16.3	11.9/0.1	3.3/4.9	5/4.9	5/0.6	241.19	82.97%
6.07	1.00	5.53%	50%	Typical	695.60	12/40.7	12/0.3	3.2/12.2	5/12.2	4.9/1.4	596.60	85.77%
12.37	1.00	3.41%	100%	Full	1421.20	11.8/81.3	12.2/0.7	3.1/24.3	4.8/24.5	4.7/2.9	1171.98	82.46%







These tests were conducted by a third party independent testing firm on behalf of the 80 PLUS® Program. 80 PLUS is a certification program to promote highly-efficient power supplies (greater than 80% efficiency in the active mode) in technology applications. *http://www.80plus.org/*

